Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	180	706/33.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 12:58
L2	1299	365/49.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 12:59
L3	2	365/49.ccls. and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 12:59
L4	41	365/49.ccls. and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:03
L5	7	(linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:04
L6	5	(linear adj associative adj memory) and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:06
L7	0	FGPA and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:06
L8	15	FGPA and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:07
L9	2	FGPA and (fault adj diagnosis)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:08
L10	0	fgpa and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:09
L11	1135	326/39.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 13:10
L12	12	326/39.ccls. and fgpa	US-PGPUB; USPAT	OR	ON	2005/11/21 13:10
L13	55329	asic	US-PGPUB; USPAT	OR	ON	2005/11/21 13:11
L14	0	asic and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:11
L15	315	327/103.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 13:12
L16	0	327/103.ccls. and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:12
L17	7	327/103.ccls. and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:13
L18	4983	(content adj addressable adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:14
L19	155	(content adj addressable adj memory) and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:25
L20	150	Hopfield adj neural adj networks	US-PGPUB; USPAT	OR	ON	2005/11/21 13:26
L21	12	Hopfield adj neural adj networks and (fault adj diagnosis)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	343	706/15.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 13:38
L2	3	706/15.ccls. and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:38
L3	6	706/15.ccls. and (content adj addressable adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:38
L4	551	711/108.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/21 13:39
L5	0	711/108.ccls. and (linear adj associative adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:39
L6	468	711/108.ccls. and (content adj addressable adj memory)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:39
L7	16	711/108.ccls. and (content adj addressable adj memory) and (neural adj networks)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:39
L8	71	711/108.ccls. and asic	US-PGPUB; USPAT	OR	ON	2005/11/21 13:39
L9	0	711/108.ccls. and asic and (fault adj diagnosis)	US-PGPUB; USPAT	OR	ON	2005/11/21 13:40



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • C The Guide

linear associative memory and fgpa and hopfield neural netwo

SEARCH

THE ACM DICITAL LIBRARY

Feedback Report a problem Satisfaction Survey

Terms used <u>linear associative memory</u> and <u>fgpa</u> and <u>hopfield neural networks</u> and <u>fault diagnosis</u>

Found 25,949 of 166,953

Sort results by

relevance

Save results to a Binder

Search Tips

Try an <u>Advanced Search</u>
Try this search in The ACM Guide

Display results expanded form

☐ Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 Continuous learning: a design methodology for fault-tolerant neural networks

Vincenzo Piur

June 1990 Proceedings of the 3rd international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2 IEA/AIE '90

Publisher: ACM Press

Full text available: pdf(1.36 MB)

Additional Information: full citation, abstract, references, index terms

Fault tolerance in artificial neural networks is an important feature, in particular when the application is critical or when maintenance is difficult. This paper presents a general design methodology for designing fault-tolerant architectures, starting from the behavioral description of the nominal network and from the nominal algorithm. The behavioral level is considered to detect errors due to hardware faults, while system survival is guaranteed by the reactivation of learning mechanisms ...

² Pattern-based fault diagnosis using neural networks

W. E. Dietz, E. L. Kiech, M. Ali

June 1988 Proceedings of the 1st international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 1 IEA/AIE '88

Publisher: ACM Press

Full text available: pdf(1.01 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The detection and diagnosis of faults in real time are active areas of research in knowledge-based expert systems. Several methods of diagnosis have been applied to a variety of physical systems. Rule-based approaches have been applied successfully to some domains. However, encoding knowledge in rule bases raises many difficult knowledge acquisition issues; in addition, rule-based systems are often too slow to be effectively applied in a real-time environment. More advanced diagnostic syste ...

3 Network restoration using recurrent neural networks

G. Prem Kumar, P. Prem Venkataram

October 1998 International Journal of Network Management, Volume 8 Issue 5

Publisher: John Wiley & Sons, Inc.

Full text available: pdf(219.91 KB) Additional Information: full citation, abstract, references, index terms

In this article, a method is proposed for network restoration using a centralized, static

restoration after failure, where the restoration initiated at the local node or at the source uses a hybrid strategy. © 1998 John Wiley & Sons, Ltd.

4 Connectionist expert systems Stephan I. Gallant February 1988 Communications of the ACM, Volume 31 Issue 2 **Publisher: ACM Press** Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.88 MB) terms Connectionist networks can be used as expert system knowledge bases. Furthermore, such networks can be constructed from training examples by machine learning techniques. This gives a way to automate the generation of expert systems for classification problems. 5 Fuzzy measures in inductive reasoning DongHui Li, François E. Cellier December 1990 Proceedings of the 22nd conference on Winter simulation Publisher: IEEE Press Full text available: pdf(1.31 MB) Additional Information: full citation, references, citings, index terms Neural network approach to zero-one optimal covering problem A. R. Khan, A. R. Marudarajan, C. A. Goben April 1991 Proceedings of the 24th annual symposium on Simulation Publisher: IEEE Computer Society Press Full text available: pdf(746.09 KB) Additional Information: full citation, references, index terms 7 The use of the electrical simulator SPICE for behavioral simulation of artificial neural networks Vincenzo Piuri April 1991 Proceedings of the 24th annual symposium on Simulation Publisher: IEEE Computer Society Press Full text available: pdf(1.27 MB) Additional Information: full citation, references, index terms Computing curricula 2001 September 2001 Journal on Educational Resources in Computing (JERIC) Publisher: ACM Press Full text available: pdf(613.63 KB) Additional Information: full citation, references, citings, index terms (2.78 KB) A comparative study of neural network algorithms applied to optical character recognition P. Patrick van der Smagt June 1990 Proceedings of the 3rd international conference on Industrial and engineering applications of artificial intelligence and expert systems -

Volume 2 IEA/AIE '90

Publisher: ACM Press

Full text available: pdf(1.15 MB) Additional Information: full citation, abstract, references, index terms

Three simple general purpose networks are tested for pattern classification on an optical character recognition problem. The feed-forward (multi-layer perceptron) network, the Hopfield network and a competitive learning network are compared. The input patterns are obtained by optically scanning images of printed digits and uppercase letters. The resulting data is used as input for the networks with two-state input nodes; for others, features are extracted by template matching and pi ...

10 A study of the applicability of hopfield decision neural nets to VLSI CAD



M. L. Yu

June 1989 Proceedings of the 26th ACM/IEEE conference on Design automation

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(778.73 KB) terms

Hopfield decision neural nets have been claimed to be good for solving a class of optimization problems such as the traveling salesman's problem. A study was undertaken to determine if these techniques were applicable to the many optimization problems that occur in VLSI circuit design and layout. Module placement was chosen as a representative problem. It was observed that the convergence process closely resembles that of greedy hill climbing algorithms. Apart from the known problems of lon ...

11 Optimal communication algorithms for regular decompositions on the hypercube



G. C. Fox, W. Furmanski

January 1988 Proceedings of the third conference on Hypercube concurrent computers and applications: Architecture, software, computer systems, and general issues - Volume 1

Publisher: ACM Press

Full text available: pdf(4.81 MB)

Additional Information: full citation, abstract, references, citings, index <u>terms</u>

We discuss optimal communication and decomposition algorithms for a class of regular problems on concurrent computers with a hypercube topology, using a general technique we call the method of cube geodesics. We address the calculation of various transformations (convolutions, functionals etc.) of data distributed over the hypercube; examples are the Fast Fourier Transform, matrix algorithms, global scalar products and vector sums, sorting. These all involve long distance inter ...

12 Fast detection of communication patterns in distributed executions



November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: pdf(4.21 MB) Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

13 Algorithms for the optimal loading of recursive neural nets V. Chandru, A. Dattasharma, S. S. Keerthi, N. K. Sancheti, V. Vinay January 1995 Proceedings of the sixth annual ACM-SIAM symposium on Discrete algorithms

Publisher: Society for Industrial and Applied Mathematics

Full text available: pdf(918.30 KB) Additional Information: full citation, references, index terms

14 What have we learnt from using real parallel machines to solve real problems?



G. C. Fox

January 1989 Proceedings of the third conference on Hypercube concurrent computers and applications - Volume 2


Publisher: ACM Press

Full text available: pdf(4.08 MB)

Additional Information: full citation, abstract, references, citings, index terms

We briefly review some key scientific and parallel processing issues in a selection of some 84 existing applications of parallel machines. We include the MIMD hypercube transputer array, BBN Butterfly, and the SIMD ICL DAP, Goodyear MPP and Connection Machine from Thinking Machines. We use a space-time analogy to classify problems and show how a division into synchronous, loosely synchronous and asynchronous problems is helpful. This classifies problems into those suitable for SIMD or MIMD ...

15 The cognitive architecture project



January 1986 ACM SIGARCH Computer Architecture News, Volume 14 Issue 1

Publisher: ACM Press

Full text available: pdf(993.33 KB) Additional Information: full citation, citings, index terms

16 Toward memory-based reasoning



Craig Stanfill, David Waltz

December 1986 Communications of the ACM, Volume 29 Issue 12

Publisher: ACM Press

Full text available: pdf(1.66 MB)

Additional Information: full citation, abstract, references, citings, index

terms, review

The intensive use of memory to recall specific episodes from the past—rather than rules should be the foundation of machine reasoning.

17 Technique for automatically correcting words in text



Karen Kukich

December 1992 ACM Computing Surveys (CSUR), Volume 24 Issue 4

Publisher: ACM Press


Full text available: pdf(6.23 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Research aimed at correcting words in text has focused on three progressively more difficult problems:(1) nonword error detection; (2) isolated-word error correction; and (3) context-dependent work correction. In response to the first problem, efficient patternmatching and n-gram analysis techniques have been developed for detecting strings that do not appear in a given word list. In response to the second problem, a variety of general and application-specific spelling cor ...

Keywords: n-gram analysis, Optical Character Recognition (OCR), context-dependent spelling correction, grammar checking, natural-language-processing models, neural net classifiers, spell checking, spelling error detection, spelling error patterns, statisticallanguage models, word recognition and correction

18 Neural nets for image restoration




January 1990 Proceedings of the 1990 ACM annual conference on Cooperation

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(584.97 KB) terms

No imaging system in practice is perfect, in fact the recorded images are always distorted or of finite resolution. An image recording system can be modeled by a Fredholm integral equation of the first kind. An inversion of the kernel representing the system, in the presence of noise, is an ill posed problem. The direct inversion often yields an unacceptable solution. In this paper, we suggest an Artificial Neural Network (ANN) architecture to solve ill posed problems in the presence of noi ...

19 The object-oriented paradigm and neurocomputing



May 1991 Proceedings of the conference on Analysis of neural network applications

Publisher: ACM Press

Full text available: pdf(1.65 MB) Additional Information: full citation, references, index terms

20 Simple distributed algorithms for the cycle cutset problem

Arun Jagota, Rina Dechter

April 1997 Proceedings of the 1997 ACM symposium on Applied computing

Publisher: ACM Press

Full text available: pdf(810.72 KB) Additional Information: full citation, references, index terms

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Sign in



Web Images Groups News Froogle Local New! more »

+"hopfield neural networks" +"fpga" +"fault dia Search Preferences

Web Results 1 - 10 of about 104 for +"hopfield neural networks" +"fpga" +"fault diagnosis". (0.34 seconds)

IEEE Transactions on Industrial Electronics

... Process of Zinc Based on Backpropagation and **Hopfield Neural Networks** ... In this paper, a speed-sensorless **fault diagnosis** system is developed for ... www.ewh.ieee.org/soc/ies/ties/ies50_5.html - <u>Similar pages</u>

IEEE International Symposium on Neural Networks 2004

337, Non-Stationary Fault Diagnosis Based on Local-Wave Neural Network ... 744, FPGA Implementation of Feature Extraction & Neural Network Classifier For ... www2.acae.cuhk.edu.hk/~isnn2004/acc_paper_list.html - 270k - Cached - Similar pages

Sessions - ISNN2005

1-04-0038, Global Exponential Stability of **Hopfield Neural Networks** with Impulsive ... O3B1E: **Fault Diagnosis**; Chair: Wilson Wang; June 1, 2005; 13:30-15:10 ... www2.acae.cuhk.edu.hk/~isnn2005/Oral_session.htm - 54k - <u>Cached</u> - <u>Similar pages</u> [More results from www2.acae.cuhk.edu.hk]

Defect and Fault Tolerance in VLSI Systems 2004

An Efficient Hardware-Based **Fault Diagnosis** Scheme for AES: Performances and Cost. ... Non-Intrusive Test Compression for SOC Using Embedded **FPGA** Core. ... www.informatik.uni-trier.de/ ~ley/db/conf/dft/dft2004.html - 34k - <u>Cached</u> - <u>Similar pages</u>

Asian Test Symposium 2004

Enhancing BIST Based Single/Multiple Stuck-at Fault Diagnosis by Ambiguous Test Set. ... On Improvement in Fault Tolerance of Hopfield Neural Networks. ... www.informatik.uni-trier.de/ ~ley/db/conf/ats/ats2004.html - 44k - Cached - Similar pages [More results from www.informatik.uni-trier.de]

Defect and Fault Tolerance in VLSI Systems 2004

... Yukiya Miura: Fault Diagnosis of Analog Circuits by ... and Weight Restriction for Fault-Tolerant Hopfield Neural Networks. ... for SOC Using Embedded FPGA Core. ... www.sigmod.org/dblp//db/conf/dft/dft2004.html - 34k - Supplemental Result - Cached - Similar pages

Asian Test Symposium 2004

... Based Single/Multiple Stuck-at **Fault Diagnosis** by Ambiguous ... On Improvement in Fault Tolerance of **Hopfield Neural Networks**. ... Session B6: **FPGA** Testing and Test ... www.sigmod.org/dblp//db/conf/ats/ats2004.html - 44k - Supplemental Result - Cached - Similar pages

[More results from www.sigmod.org 1]

Welcome to ATS2004

C3-3 Enhancing BIST Based Single/Multiple Stuck-At Fault Diagnosis by Ambiguous Test ... A6-4 On Improvement in Fault Tolerance of Hopfield Neural Networks ... ats04.ee.nthu.edu.tw/~ats04/technical.htm - 137k - Cached - Similar pages

[PDF] 2005 International Conference on Neural Networks and Brain

File Format: PDF/Adobe Acrobat - View as HTML

A New Filtering-Based Actuator Fault Diagnosis Approach Based On Nn Models Of Pdfs

... Stability Analysis Of Continuous Hopfield Neural Networks With Delay ... 202.38.121.9/cnnc/ICNNB2005%20Program.pdf - Similar pages

text

Phase Diagrams for Locally Hopfield Neural Networks in Presence of Correlated ... 4:00PM Neural Networks based Scheme for Fault Diagnosis in Fossil Electric ... faculty.uwb.edu/ijcnn05/program/program3.html - 256k - Cached - Similar pages

Try searching for +"hopfield neural networks" +"fpga" +"fault diagnosis" on Google Book Search

G000000000gle > 1 2 3 4 5 6 7 8 9 Next

Result Page:

Google Desktop Search 🥠 🕏 🕜 ② 9:59AM?

Free! Instantly find your email, files, media and web history. Download now.

+"hopfield neural networks" +"fpga" Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google



+"hopfield neural networks" +"fpga" +"fault dia

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 7 of 7 for +"hopfield neural networks" +"fpga" +"fault diagnosis". (0.06 seconds)

Tip: Try removing quotes from your search to get more results.

Message from the Symposium Chairs...... x ...

R Barsky, I Wagner, X Wang, M Ottavi, F Lombardi, ... - ieeexplore.ieee.org ... Fault Diagnosis in Analog Circuits by ... Fault-Tolerant Hopfield Neural Networks.....339 N ... Using Embedded FPGA Core ...

Web Search - ieeexplore.ieee.org

Guest Editorial...... T. Yamaguchi, Y. Takama, and T. ...

P Electronics - ieeexplore.ieee.org

... Fuzzy Behavior Control on an FPGA-Based Car ... of Zinc Based on Backpropagation and Hopfield Neural Networks HD Tuan 1030 Sensorless Fault Diagnosis of Induction ... Web Search

Lvolume I

P Lecture, O Session, P Session, P Session, SO ... - ieeexplore.ieee.org Page 1 TABLE OF CONTENTS L VOLUME I Sunday, JiHy 25, 6:00PM — 7:00PM Public Lecture Chair: Tamas Roska, Room: C Clinical Results with the Model 1 IRP Implant ... Web Search

Proceedings

DHJ Beach, O Portland - ieeexplore.ieee.org Page 1 Proceedings of the International Joint Conference on Neural Networks 2003 Co-Sponsored by: +IEEE The International Neural The iEEE Neural Network ... Web Search - ieeexplore.ieee.org - cse.cuhk.edu.hk - cs.cuhk.hk

SIGNAL PROCESSING PROCEEDINGS

T Xiaofang - ieeexplore.ieee.org

Page 1 IEEE WCC2000 • ICSP2000 VOLUME I of III 2000 5th INTERNATIONAL CONFERENCE ON SIGNAL PROCESSING PROCEEDINGS August 21-25, 2000, Beijing, China Edited by ... Web Search - ieeexplore.ieee.org

13 thAsian Test Symposium ATS 2004

Q Xu, N Nicolici, Y Han, Y Hu, H Li, X Li, A ... - ieeexplore.ieee.org ... Stuck-at Fault Diagnosis by ... Tolerance of Hopfield Neural Networks.....406 N ... B6: FPGA Testing ... Web Search - doi.ieeecomputersociety.org

AUTHOR INDEX

A Albu-Schaffer, E Aldabas, K Al-Haddad, PEM ... - ieeexplore.ieee.org ... zinc based on backpropagation and Hopfield neural networks, T-IE ... Sensorless fault diagnosis of induction motors; T-IE Oct ... behavior control on an FPGA- based car ... Web Search

Outdated message

+"hopfield neural networks" +"fpga" | Search

Google Home - About Google - About Google Scholar
©2005 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office □ Search Results **BROWSE IEEE XPLORE GUIDE SEARCH** Results for "(((hopfield <near> neural <near> networks) <and> fpga)<in>metadata)" ⊠e-mail Your search matched 8 of 1260866 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options Modify Search View Session History (((hopfield <near> neural <near> networks) <and> fpga)<in>metadata) >> New Search ☐ Check to search only within this results set » Key Display Format: IEEE Journal or **IEEE JNL** Magazine Select Article Information **IEE JNL** IEE Journal or Magazine IEEE CNF IEEE Conference 1. Simultaneous Perturbation Learning Rule for Recurrent Neural Networks Proceeding Implementation IEE Conference Maeda, Y.; Wakamura, M.; **IEE CNF** Proceeding Neural Networks, IEEE Transactions on Volume 16, Issue 6, Nov. 2005 Page(s):1664 - 1672 IEEE STD IEEE Standard Digital Object Identifier 10.1109/TNN.2005.852237 AbstractPlus | Full Text: PDF(584 KB) | IEEE JNL 2. FPGA implementation of Hopfield neural network via simultaneous pertui Wakamura, M.; Maeda, Y.; SICE 2003 Annual Conference Volume 2, 4-6 Aug. 2003 Page(s):1272 - 1275 Vol.2 Digital Object Identifier 10.1109/SICE.2003.1324147 AbstractPlus | Full Text: PDF(271 KB) | IEEE CNF 3. Systolic array implementation of block based Hopfield neural network for association Ming-Jung Seow; Hau Ngo; Asari, V.; VLSI, 2003. Proceedings. IEEE Computer Society Annual Symposium on 20-21 Feb. 2003 Page(s):213 - 214 AbstractPlus | Full Text: PDF(226 KB) | IEEE CNF 4. A novel digital neural network for the travelling salesman problem Varma, A.; Jayadeva; Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th Inter Conference on Volume 3, 18-22 Nov. 2002 Page(s):1320 - 1324 vol.3 AbstractPlus | Full Text: PDF(357 KB) IEEE CNF 5. Specifications and FPGA implementation of a systolic Hopfield-type assc Mihu, I.Z.; Brad, R.; Breazu, M.; Neural Networks, 2001. Proceedings. IJCNN '01. International Joint Conference Volume 1, 15-19 July 2001 Page(s):228 - 233 vol.1 Digital Object Identifier 10.1109/IJCNN.2001.939022 AbstractPlus | Full Text: PDF(384 KB) | IEEE CNF

Design of digital neural cell scheduler for intelligent IB-ATM switch

 \Box

Lee, J.-K.; Lee, S.-M.; Lee, M.M.-O.; Lee, D.-W.; Kim, Y.-C.; Jeong, S.-J.; Design Automation Conference, 2000. Proceedings of the ASP-DAC 2000. Asi Pacific 25-28 Jan. 2000 Page(s):7 - 8 Digital Object Identifier 10.1109/ASPDAC.2000.835052 AbstractPlus | Full Text: PDF(196 KB) IEEE CNF 7. FPGA based implementation of a Hopfield neural network for solving con satisfaction problems Abramson, D.; Smith, K.; Logothetis, P.; Duke, D.; Euromicro Conference, 1998. Proceedings. 24th Volume 2, 25-27 Aug. 1998 Page(s):688 - 693 vol.2 Digital Object Identifier 10.1109/EURMIC.1998.708089 AbstractPlus | Full Text: PDF(440 KB) IEEE CNF 8. VLSI implementation of a neural network classifier Mandisodza, R.L.K.; Luke, D.M.; Pochec, P.; Electrical and Computer Engineering, 1996. Canadian Conference on Volume 1, 26-29 May 1996 Page(s):178 - 181 vol.1 Digital Object Identifier 10.1109/CCECE.1996.548066 AbstractPlus | Full Text: PDF(244 KB) | IEEE CNF

Inspec.

Help Contact Us Privacy &:

© Copyright 2005 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office


Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search



The file of the state of the st

Mon, 21 Nov 2005, 1:50:39 PM EST

- #2 (((hopfield <near> neural <near> networks))<in>metadata)
- #3 (((hopfield <near> neural <near> networks) <and> fpga) <in>metadata)
- #4 (((hopfield <near> neural <near> networks) <and> fpga) <in>metadata)
- #5 (((hopfield <near> neural <near> networks))<in>metadata)
- #6 ((((hopfield <near> neural <near> networks) <and> fpga and (fault <near> diagnosis))<in>metadata)



Help Contact Us Privacy &:

© Copyright 2005 IEEE –